

prescriptions


part 4 from 4 parts

100 prescription

prepared by :

dr / ahmed abd elmohsen hasham

E-mail : ahmedhasham61@yahoo.com



cefazone 1g



active ingredients :
1-cefoperazone

category / use :
3 generation
cephalosporins

farcosolvin



active ingredients :
1-ambroxol
2-guaifenesin -
glyceryl guaiacol
3-theophylline

category / use :
mucolytic &
bronchodilators

quibron T/SR



Quibron® T And Quibron T/SR

active ingredients :
1-theophylline

category / use :
xanthines
(bronchodilator)

Miflonide



active ingredients :
1-budesonide


category / use :
corticosteroids
inhalers

foradil



active ingredients :
1-formoterol

category / use :
selective B2
agonist



ambezim tab



active ingredients :

1-chymotrypsin
2-trypsin

category / use :
vascular insufficiency

velosef 1g



active ingredients :

1-cephradine

category / use :
1 generation cephalosporins

olfen 50 tab



active ingredients :

1-diclofenac sodium

category / use :
anti inflammatory


ialugen cream



active ingredients :

1-hyaluronic acid -
sod.hyaluronate
2-silver sulfadiazine

category / use :
for burns



Vendexine syrup



active ingredients :
1-chlorpheniramine
2-dexamethasone

category / use :
combination
(anti histaminic
& corticosteroid)

Farcolin syrup



active ingredients :
1-ammonium chloride
2-salbutamol - albuterol

category / use :
cough sedative & expectorant
selective B2 agonist

claforan .5 g vial



active ingredients :
1-cefotaxime

category / use :
3 generation cephalosporins

fortecortin amp



active ingredients :
1-dexamethasone


category / use :
long acting glucocorticoids

Minophylline supp



active ingredients :
1-acefylline piperazine

category / use :
xanthines



cetal



active ingredients :
1-paracetamol

category / use :
anti pyretic

balsam



active ingredients :
1-fennel - guava leaves
2-honey
3-thyme - tilia flowers


category / use :
cough sedative
& herbal extract

Flagyl



active ingredients :
1-metronidazole

category / use :
antibacterial &
antiamebic agent



selenium ace



active ingredients :
 1-selenium
 2-vit (a / c / e)

category / use :
 immune stimulants

haemoton



active ingredients :
 1-copper
 2-folic acid
 3-iron
 4-manganese
 5-vit (b12 / c)

category / use :
 multi vitamins & minerals

tebonina forte



active ingredients :
 1-ginkgo biloba - ginkgo
 flavone glycoside

category / use :
 circulatory disturbance agent
 mental memory tonics

الخصائي طب وجراحة الفم والأسنان
جامعة الإسكندرية

Press :

* Cep-cx 500

* Brufen 400

* Dicynone

ceporex 500 tab



active ingredients :
1-cephalexin

category / use :
1 generation cephalosporins

brufen 400



active ingredients :
1-ibuprofen


category / use :
anti inflammatory

dicynone



active ingredients :
1-ethamsylate - etamsylate

category / use :
Antihemorrhagic
& antibleeding



Neurimax



active ingredients :

1-minerals

2-vitamins

category / use :

multi vitamins & minerals

Tebofortin



active ingredients :

1-GINKGO BILOBA

LEAVES DRY EXTRACT

80 MG

category / use :

Circulation and memory loss due to brain conditions such as stroke, Alzheimer disease, and dementia

Becozyme Amp



active ingrediants :

1-VITAMINS B1B2B3B6 +

DEXPANTHENOL

category / use :

vitamin b

R/ Omepak 10mg

قرص عد الحرق بوجاه

R/ Tramadol tab

قرص به الفلار ، الفلار

لدره ٣٠٠

R/ Ranitak 150mg

قرص به الفلار ، بوجاه

omepak 10



active ingredients :
omeprazole

category / use :
proton pump inhibitors

tramadol tab



active ingredients :
tramadol

category / use :
centrally acting
analgesic


ranitak 150



active ingredients :
ranitidine

category / use :
h2 receptor
blockers

PROF. KHALED EL-HADIDI
Professor of Rheumatology
Cairo University
Egypt



Dexamethasone amp



active ingredients :
1-dexamethazone

category / use :
long acting glucocorticoids

Diax cap



active ingredients :
1-nifuroxazide


category / use :
intestinal antimicrobials

Eucarbon tab



active ingredients :
1-charcoal
2-fennel - foeniculum vulgaris
3-peppermint - mentha -
mentha pipertia
4-rhubarb
5-senna - sennosides -
senna glycoside
6 - sulphur

category / use :
anti flatulents



Bidalkin



active ingredients :

1-alum

2-borax

3-sod.bicarbonat

category / use :
for vaginal diseases

canesten cream



active ingredients :

1-clotrimazole

category / use :
antifungal

diflucan 150



active ingredients :

1-fluconazole

category / use :
anti fungal

Rx.

Eucarbon

حب قبل العشاء الرئيس

Eucarbon



active ingrediants :


1-charcoal

2-fennel - peppermint -

rhubarb - senna - sulphur

category / use :

anti flatulents



baby drink



active ingredients :

- 1-anise
- 2-chamomile
- 3-liquorice
- 4-peppermint
- 5-thyme

category / use :
antispasmodic &
antiflatulents for
pediatrics

flagyl



active ingredients :

- 1-metronidazole

category / use :
antibacterial & antiamebic
agents

decal



active ingredients :

- 1-calcium
- 2-vitamin b12
- 3-vitamin d3

category / use :
calcium - vitamins - minerals


or Minoxidil forte 5%
مِنْوَكْسِيدِل فُورْت 5%

minoxidil forte 5



active ingredients :
1-minoxidil

category / use :
for hair growth



Ospamox 1g



active ingredients :
1-amoxicillin

category / use :
antibiotic (penicillin group)

Clarithro 500 mg



active ingredients :
1-clarithromycin

category / use :
antibiotic (macrolides group)

megafen n susp



active ingredients :
1-ibuprofen


category / use :
anti inflammatory

primperan syrup



active ingredients :
1-metoclopramide

category / use :
gastroprokinetics



E-moxclav 457mg



active ingredients :
1-amoxicillin
2-clavulanic acid -
potassium
clavulanate


category / use :
anti biotic

dolphin 25 supp



active ingredients :
1-diclofenac
sodium

category / use :
anti inflammatory



Sinecod syrup



active ingredients :
1-butamirate

category / use :
for dry cough

adolor amp



active ingredients :
1-ketorolac tromethamine


category / use :
anti inflammatory

selgon tab



active ingredients :
1-pipazethate

category / use :
for dry cough



Conjyclear forte eye drop



active ingredients :
1-olopatadine


category / use :
anti allergic

Artelac eye drop



active ingredients :
1-hydroxypropyl methylcellulos -
hypromellose

category / use :
ocular lubricants



Kenacomb



active ingrediants :

1-gramicidin - neomycin -nystatin
3-triamcinolone

category / use :

antimicrobials & corticosteroid

glycerin




active ingrediants :

1-gelatin
2-glycerin - glycerol

category / use :

osmotic hydrating agent
(for constipation)



biodroxil 500 mg



active ingrediants :
cefadroxil

category / use :
1 generation
cephalosporins

mucogel



active ingrediants :
1-aluminium hydroxide
2-mg hydroxide
3-oxethazine

category / use :
antacid

petro tab



active ingrediants :
1- caffeine - drotaverine
2-paracetamol

category / use :
gastric disturbance & anti
spasmodic

Gonapure



active ingredients :

1-fsh - follitropin alpha

category / use :

infertility & sterility agents


Gonapure

الحقن (1/2)

حقن (1/2)

حقن (1/2)

حقن (1/2)



cosamine cream



active ingredients :
plant extracts & oils of
natural herbs

category / use :
massagee

Diacerein cap



active ingredients :
1-diacerein


category / use :
anti rheumatic osteoarthritis

Flector 50 cap



active ingredients :
1-diclofenac epolamine

category / use :
anti inflammatory



Ringer 500ml infusion



active ingredients :

- 1-calcium chloride
- 2-potassium chloride
- 3-sodium chloride

category / use :

- Replace extracellular fluid losses
- Restore the sodium, potassium, calcium and chloride balances, for treatment of isotonic dehydration.

buscopan amp



active ingredients :

hyoscine n buty bromide

category / use :

gastric disturbance
& anti spasmodic

Thiophenicol tab



active ingredients :

thiamphenicol

category / use :

antibiotic
(chloramphenicol group)

spasmocanulase tab



active ingredients :

- 1-cellulose
- 2-dimethicone - dimethylsiloxane
- 3-glutamic acid - methixene -
- pancreatine - pepsin
- 4-sod.dehydrocholate

category / use :
digestants

Lacteol fort cap




active ingredients :

lactobacillus acidophilus

category / use :

microbial origin agents



alphintern tab



active ingredients :

- 1-chymotrypsin
- 2-trypsin

category / use :
anti inflammatory & anti edema


Arthineur cap



active ingredients :

- 1-diclofenac sodium
- 2- vit (b1 / b12 / b6)

category / use :
anti inflammatory & vitamin b



orchadexoline



active ingredients :

- 1-chloramphenicol
- 2-dexamethasone
- 3-tetrahydrozoline - tetryzolin

category / use :
antibiotic & corticosteroids

naphcon A



active ingredients :

- 1-naphazoline
- 2-pheniramine

category / use :
decongestants

أخصائي أمراض النساء والتوليد والعقم
الكشف بالموجات فوق الصوتية

صدق الله العظيم

الاسم: / محمد كمال السن: التاريخ: ٢٠١٩ / ١٢ / ٢٠

R1 profenid supp
لن
Ferrotron cp
لن

Profenid supp



active ingredients :
1-ketoprofen

category / use :
anti inflammatory

ferrotron capsules



active ingredients :
1-copper
2-folic acid
3-iron
4-molybdenum
5-vit (b1 / b12 / b2 / b6 / b7 / c)
5-zinc

category / use :
pregnancy & lactation
vitamins

R/

Furazol tab.

قرص ۲۰۰ میلی گرمی
فروزول

R/ Spas colon tab
قرص ۱۰۰ میلی گرمی

furazol tab



active ingredients :
1-diloxanide furoate
2-metronidazole

category / use :
antibacterial & anti amebic agent

spascolon tab



active ingredients :
1-pinaverium bromide

category / use :
gastric disturbance & antispasmodic

- mert: 4P

التي يطار
الدهن

- quick slim P
التي يطار
الدهن

merti cap



active ingredients :

- 1-chitosan
- 2-chromium picolinate
- 3-vitamin c - ascorbic acid

category / use :

fat absorption decreasing agents

quick slim




active ingredients :

- 1-orlistat

category / use :

fat absorption decreasing agents



kenacort



active ingredients :
1- triamcinolone

category / use :
intermediate acting
glucocorticoid

hemoclar cream



active ingredients :
1-pentosan polysulphate

category / use :
anti thrombic & anti edema

dermovate cream



active ingredients :
1-clobetasol

category / use :
corticostroid

ES
of levohistam
1/2 - 1/2

levohistam




active ingredients :

1-levocetirizine dihydrochloride

category / use :

non sedative anti histaminic



Anti -Cox 15



active ingredients :
1-meloxicam


category / use :
cox2 inhibitor anti inflammatory

Pk-merz




active ingredients :
1-amantadine

category / use :
anti parkinsonian & influenza virus



Galvus



active ingredients :

1-vildagliptin

category / use :

dipeptidyl peptidase 4 (DPP - 4)
inhibitors

cidophage 850



active ingredients :

metformin

category / use :

for diabetes type & weight loss

sigmalip 20



active ingredients :

atorvastatin

category / use :

cholesterol synthesis inhibitor

sparcin tab



active ingredients :

sparfloxacin

category / use :

antibiotic
(quinolones group)

urivin eff



active ingredients :

1- atropine
2-colchicine
3-khellin
4-piperazine

category / use :

gout & hyperuricemia

دكتور
Yousry Rizk
 Orthopaedic Surgeon

استشاري جراحة العظام والكسور
 والعمود الفقري

الاستشارة يوم: ١٥

البدرشين : ٩ ش النيل السعيد - برج الزهراء - الدور الثالث
 المواعيد : من ١٠:٣٠ ظهرًا ومن ٧:١٠ مساءً شتاءً، ومن ٨:١١ مساءً
 تليفون عيادة : ٠١١١٣٣٥٨١٥ • e-mail : dryousryrizk@yahoo.com
 (الاستشارة بموعد سابق) الراحة الأسبوعية : الخميس والجمعة

Diprosos



active ingredients :
 1-betamethasone

category / use :
 long acting glucocorticoids

zantac



active ingredients :
 1-ranitidine

category / use :
 h2 receptor blockers

sirdalud tab



active ingredients :
 1-tizanidine

category / use :
 skeletal muscle relaxant

flamotal 800 tab



active ingredients :
 1-ibuprofen

category / use :
 anti inflammatory

zantac 150 tab



active ingredients :
 1-ranitidine

category / use :
 h2 receptor blockers

**Prof. Dr.
Ahmed Ragab Ali**

Professor of Urology
Zagazig University
Member in E.U.A.
Member in A.U.A.
Member in African U.A.
Member in European U.A.
Consultant in Zag. University



رجب على

ك البولية والتناسلية
م جامعة الزقازيق
المصرية للمسالك البولية
العربية للمسالك البولية
أفريقية للمسالك البولية
أوروبية للمسالك البولية

R Flopadex 1x1
R Vesicare 5mg 1x1
R Quinabiotic 320 1x1

Com

flopadex cap



active ingredients :

1-silodosin

category / use :
prostate preparation

Vesicare 5 tab



active ingredients :

1-solifenacin succinate

category / use :
nocturnal enuresis
& over active
bladder


Quinabiotic 320 tab



active ingredients :

1-gemifloxacin

category / use :
antibiotic (quinolone group)



agnucaston



active ingrediants :
chaste tree


category / use :
female sex hormones

kapron



active ingrediants :
tranexamic acid

category / use :
amino acids & anti fibrinolytics



Allerban-S.R



active ingredients :
1-ketotifen

category / use :
mast cell stabilizers

sedokast 25



active ingredients :
1-montelukast

category / use :
leukotriene receptor antagonists

farcosolvin



active ingredients :
1-ambroxol
2-guaifenesin-glyceryl guaiacol
3-theophylline

category / use :
mucolytic &
bronchodilator

bronchophane syrup



active ingredients :
1-dextromethorphan
2-diphenhydramine
3-ephedrine
4-guaifenesin-glyceryl guaiacol


category / use :
cough sedative
& expectorant

wintrixone 1g



active ingredients :
1-ceftriaxone

category / use :
3 generation
cephalosporins



velosef 1gm



active ingredients :
1-cephradine

category / use :
1 generation cephalosporins

alphintern



active ingredients :
1-chymotrypsin
2-trypsin

category / use :
vascular insufficiency

brufen 400



active ingredients :
1-ibuprofen

category / use :
anti inflammatory


Locastone

Locasten solution



active ingredients :
1-clotrimazole

category / use :
anti fungal



Zithromax cap



active ingredients :
1-azithromycin

category / use :
anti biotic (macrolides group)

motilium tab



active ingredients :
**1-domperidone -
domperdonium**


category / use :
gastroprokinetics

antodine 40



active ingrediants :
1-famotidine

category / use :
h2 receptor blockers



Effortil drop



active ingredients :
1-etilefrine

category / use :
sympathomimetics

Theragran-H tab



active ingredients :
1-folic acid - iron - magnesium
2-pantothenate ca - ca D pentothenate
3-vit (a / b1 / b12 / b2 / b3 / b6 / c / d3 / e)


category / use :
multi vitamins & minerals

Betolvex amp



active ingredients :
1-vit b12 - hydroxocobalamin-
cyanocobalamin

category / use :
vitamin b



hibiotic 1gm



active ingredients :
1-amoxicillin
2-clavulanic acid -
potassium clavulanate


category / use :
antibiotic

catafast 50 mg



active ingredients :
1-diclofenac potassium

category / use :
anti inflammatory



gabalepsy 300



active ingredients :
1-gabapentin


category / use :
anti epileptics

Acecloropa 100



active ingredients :
1-aceclofenac

category / use :
ant inflammatory



Elonda tab



active ingredients :
1-cabergoline

category / use :
infertility & sterility agent
prolactin inhibitors

amrizole n supp



active ingredients :
1-metronidazole
2-nystatin


category / use :
for vaginal diseases

Klenva v.douche



active ingredients :
1-al amm sulfate
2-chamomile - anthemis
nobilis - m.chamomilila
3-citric acid
4-menthol -
hexahydrothymol
5-methyl paraben
6-sod.lauryl ether sulfate 7-
thymol

category / use :
for vaginal
diseases



tavacin 500



active ingredients :
1-levofloxacin

category / use :
anti biotic (quinolones group)

kellagon



active ingredients :
1-ammi visnaga
2-cymbopogon proximus -
halfabar ext


category / use :
anti septic & anti spasmodic

cardura



active ingredients :
1-doxazosin

category / use :
alpha blocker
& for prostata perparation



tabunex



active ingredients :
1-Mometasone

category / use :
corticosteroid

evastine tab



active ingredients :
1-ebastine


category / use :
**non sedating
anti histaminic
drug**

dolabactin 400



active ingredients :
1-Moxifloxacin

category / use :
quinolone antibiotic



Amrflucan cap



active ingredients :
1-fluconazole

category / use :
anti fungal

Floxabact 500



active ingredients :
1-levofloxacin

category / use :
antibiotic (quinolones group)

betadine vag lotion



active ingredients :
1-povidone iodine


category / use :
for vaginal disease

Miconaz cream



active ingredients :
1-miconazole

category / use :
anti fungal




Tiralepsy Tab



active ingredients :
1-Levetiracetam

category / use :
anti-epileptic drug



Zithrokan 100



active ingredients :

1-azithromycin

category / use :

anti biotic (macrolide group)

Phenadone syrup



active ingredients :

1-chlorpheniramine

2-dexamethasone

category / use :

combination
anti histaminic &
corticosteroids

Epidron vial



active ingredients :

1-dexamethasone

category / use :

long acting glucocorticoids

claritine




active ingredients :

1-loratadine

category / use :

non sedative anti histaminic agent



daktarin oral gel



active ingredients :
miconazole

category / use :
antifungal

beto 12 amp



active ingredients :
vit b 12 - hydroxocobalamin
- cyanocobalamin

category / use :
vitamin b

biostrong



active ingredients :
1-ginseng - ginsana - panax genus
2- royal jelly
3- wheat germ

category / use :
general tonics - royal jelly / ginseng

safamood tab



active ingredients :
1-st.john wort ext -
hypericum - hypericin
2- vit c -ascorbic acid


category / use :
anti depressants

esmopump tab



active ingredients :
esomeprazole

category / use :
proton pump inhibitors



panadol tab



active ingredients :
1-paracetamol

category / use :
anti pyretic

Alerid tab



active ingredients :
1-cetirizine


category / use :
non sedating anti histamine

theragran-H



active ingredients :
1-folic acid
2-iron
3-magnesium
4-pantothenate ca - ca D
pantothenate
5-vit (a / b1 / b12 / b2 /
b3 / b6 / c / d3 / e)

category / use :
multi vitamins & minerals



danset amp



active ingredients :
1-ondansetron

category / use :
anti emetic agent

primperan amp



active ingredients :
1-metoclopramide


category / use :
gastroprokinetics

bronchophane



active ingredients :
1-dextromethorphan
2-diphenhydramine
3-ephedrine
4-guaifenesin

category / use :
cough sedative & expectorant



cefzil



active ingredients :
1-cefprozil


category / use :
2 generation cephalosporins

Maxilase



active ingredients :
1-alpha amylase

category / use :
vascular insufficiency



augmentin 1g



active ingredients :

- 1-amoxicillin
- 2-clavulanic acid - k clavulanate

category / use :
antibiotic

septrin DS



active ingredients :

- 1-sulphamethoxazole
- 2-trimethoprim

category / use :
anti microbial

Dexamethasone Amp



active ingredients :

- 1-dexamethasone

category / use :
long acting glucocorticoids


cetal cold&flu



active ingredients :

- 1-chlorpheniramine
- 2-paracetamol
- 3-pseudoephedrine

category / use :
anti pyretic




epifenac 50



active ingrediants :
1-diclofenac sodium

category / use :
anti inflammatory



Cataflam amp



active ingredients :
1-diclofenac potassium

category / use :
anti inflammatory

ambezim tab



category / use :
vascular
insufficiency

active ingredients :
1-chymotrypsin
2-trypsin

velosef 500



category / use :
1 generation
cephalosporins

active ingredients :
1-cephradine

R/

✓ Nizoral shampoo

فلان اذنه ووجهه
فقط

R/ Pantenol cream

nizoral shampoo



active ingredients :
1-ketoconazole


category / use :
for dandruff &
relieve the flaking,
scaling and itching
associated with
dandruff

panthenol cream



active ingredients :
1-dexpanthenol - d panthenol

category / use :
for tissue repair & wound healing



unictam 750



active ingredients :

- 1-ampicillin
- 2-sulbactam

category / use :
antibiotic

baby relief supp



active ingredients :

- 1-diclofenac sodium

category / use :
anti inflammatory

ivypront syrup



active ingredients :

- 1-ivy leaf ext

category / use :
cough sedative & herbal extract


fortecortin amp



active ingredients :

- 1-dexamethasone

category / use :
long acting glucocorticoids



flagyl 250 mg



active ingredients :
1-metronidazole

category / use :
antibacterial &
antiamoebic agent

antiver



active ingredients :
1-mebendazole


category / use :
anthelmintic agent

urine



active ingredients :
1-anethol - borneol
2-camphene
3-eucalyptol
4-fenchone -pinene

category / use :
antiseptic &
antispasmodic



Meloquin cream



active ingredients :
1-hydroquinone


category / use :
scar removing &
hyperpigmentation

Zincosil cream



active ingredients :
1-dimethicone -
dimethylsiloxane
2-zinc oxide _ zincum
oxydatum

category / use :
diaper rash & skin care



Evastine



active ingredients :
1-ebastine

category / use :
non sedative anti histaminic

efemyo eye drops



active ingredients :
1-fluorometholone micronized 0.1 %
2-tetra hydrozoline hcl 0.025%

category / use :
corticosteroid & adrenergic agonists

orchazid eye drops



active ingredients :
1-ketotifen

category / use :
antiallergic

Tobradex eye oint



active ingredients :
1-dexamethasone
2-tobramycin

category / use :
corticosteroids & anti biotic

www.DawaArab.com


diavag 25
رگه
فردی و زوج
فعلی و لیلی و بیام و فلفل

Viavag 25



active ingrediants :
sildenafil

category / use :
sexual tonic & erection



Congestal



active ingredients :
 1-chlorpheniramine
 2-dextromethorphan
 3-paracetamol
 4-pseudoephedrine

category / use :
 for influenza & common cold

Toplexil



active ingredients :
 1-guaifenesin - glyceryl guaiacol
 2-oxomemazine
 3-paracetamol
 4-sod.benzoate

category / use :
 cough sedative & expectorant

Duricef



active ingredients :
 1-cefadroxil

category / use :
 1 generation cephalosporins

Handwritten notes on a piece of paper:

Ferrotron
 Dex-amp
 Dalacin 140 g.

Ferrotron



active ingredients :

- 1-copper - folic acid - iron - molybdenum
- 2-vit b1 - thiamin - benfotiamine
- 3-vit b12 - hydrocobalamin - cyanocobalamin
- 4-vit b2 - riboflavin
- 5-vit 6 - pyrioxine
- 6-vit b7 - biotin - vit h
- 7- vit c - ascorbic acid
- 8-zinc

category / use :

pregnancy & lactation vitamins

Dexamethasone Amp



active ingredients :

- 1-dexamethasone

category / use :

long acting glucocorticoids

dalacin cream




active ingredients :

- 1-clindamycin

category / use :

for vaginal diseases



zandros



active ingredients :

- 1-fish oil
- 2-omega 3
- 3-vit E - tocopherol

category / use :
anti oxidant

ferrotron



active ingredients :

- 1-iron - zinc
- 2-molybdenum
- 3-vit (b1 - b12 - b2 - b6 - b7 - c)

category / use :
pregnancy &
lactation vitamins


haemojet amp



active ingredients :

- 1-iron

category / use :
iron preparations



Neurovit amp



active ingredients :

- 1-vit b1 - thiamin - benfotiamine
- 2-vit b12 - hydroxocobalamin
- cyanocobalamin
- 3-vit b6 - pyridoxine

category / use :
vitamin b

Mobital supp



active ingredients :

- 1-meloxicam

category / use :
cox 2 inhibitor (anti inflammatory)

Articavol amp



active ingredients :

- 1-diclofenac sodium

category / use :
anti inflammatory

Declophen gel



active ingredients :

- 1-diclofenac sodium

category / use :
analgesic & anti inflammatory

Orthopaedic Consultant
Ahmed Maher Teaching Hospital

فكري كمال عبد الاحر
تشاري العظام والكسور وشلل الأطفال
مستشفى أحمد ماهر التعليمي

التاريخ: ٢٠١٧ / ١ / ١٤

سم:

R/

Queen 2500

١٠٠٠

queen 2500 caps



active ingredients :

- 1-ginseng - ginsana - panax genus
- 2-royal jelly
- 3-wheat germ

category / use :

general tonic & royal jelly / ginseng

Consultant Dermatologist

شاري أمراض جلدية وتناسلية

R/

4

Dexpanthenol

Ceporex

Cutivate

Tavegil

Dexpanthenol



active ingredients :

1-dexpanthenol

category / use :

used as a moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations

Ceporex



active ingredients :

1-cephalexin

category / use :

1 generation cephalosporins

Cutivate



active ingredients :

1-fluticasone

category / use :

corticosteroids

tavegil




active ingredients :

1-clemastine

category / use :

sedative anti histaminic agent



flumox 1gm vial



active ingredients :

1-amoxicillin
2-flucloxacillin

category / use :
antibiotic


voltaren



active ingredients :

1-diclofenac sodium

category / use :
anti inflammatory



Orchadexoline



active ingredients
 1-chloramphenicol
 2-dexamethasone
 3-tetrahydrozoline

category / use :
 antibiotics &
 corticosteroids

ventolin



active ingredients :
 1-salbutamol - albuterol


category / use :
 selective B2 agonists

velosef 250 mg



active ingredients :
 1-cephradine

category / use :
 1 generation
 cephalosporins



cefotax 1g



active ingredients :
1-cefotaxime


category / use :
3 generation cephalosporins

Biomox 250 mg



active ingredients :
1-amoxicillin

category / use :
antibiotic (penicillin group)



urivin eff



active ingredients :

- 1-atropine
- 2-citric acid
- 3-colchicine
- 4-khellin
- 5-piperazine
- 6-sod.bicarbonate

category / use :
gout
& hyperuricemia

Miconaz supp



active ingredients :

- 1-miconazole

category / use :
for vaginal diseases

Triflucan




active ingredients :

- 1-fluconazole

category / use :
anti fungal

Fladazole



active ingredients :

- 1-secnidazole

category / use :
anti amoebic agent

Ruta c tab



active ingredients :


1-rutin - rutoside

2-vit c

category / use :

vascular insufficiency

Ruta C 60
Rutin + Vit C



furazol tablet



active ingredients :
1-diloxanide furoate
2-metronidazole

category / use :
antibacterial &
anti amebic agent

spascolon tab



active ingredients :
1-pinaverium bromide

category / use :
for gastric disturbance
& anti spasmodic

اسم المريض:
 التاريخ: ٢٠/١٠/٢٠٢٠
 التشخيص:
 دكتور
 الفريد فؤاد أسكندر
 طبيب وجراح
 { عيادة ٢٩٧٢٣٠١ }
 { منزل ٢٩٧٢٦٦٥ }

R/
 ١ Concor plus 5
 ٢ Zithrocin 500
 ٣ Allvent syrup
 ٤ Apidone syrup
 ٥ Etaphylline supp

PREG. TEST
 BL.SUGAR
 FASTING
 AFTER 2 HRS

Concor plus 5 tab



active ingredients :
 1-bisoprolol
 2-hydrochlorothiazide

category / use :
 anti hypertensive drug

Zithrocin 500 tab



active ingredients :
 1-Azithromycin

category / use :
 anti biotic (macrolide group)

Allvent syrup



active ingredients :
 1-bromhexine
 2-guaifenesin - glycery guaiacol
 3-menthol - hexahydrothymol
 4-terbutaline - terbutaline sulphate

category / use :
 mucolytic &
 bronchodilator

Apidone syrup



active ingredients :
 1-chlorpheniramine
 2-dexamethasone


category / use :
 combination
 non sedative anti histaminic
 & corticosteroids

Etaphylline supp



active ingredients :
 1-acefylline piperazine

category / use :
 xanthines



antiver



active ingrediants :
1-mebendazole


category / use :
antihelmintic agent

amrizole



active ingrediants :
1-metronidazole

category / use :
antibacterial &
antiamebic agent




Remowax ear drop



active ingredients :
1-carbamide peroxide
2-glycerin - glycerol

category / use :
wax dissolving agent



vascular tablets



active ingredients :
1-isoxyprine

category / use :
circulatory disturbance agent

Bi Profenid Supp



active ingredients :
1-ketoprofen


category / use :
anti inflammatory

ultra calce



category / use :
multi vitamins &
minerals

active ingredients :
1-calcium carbonate
2-horsetail - equisetum arvense
3-ipriflavone
4-lysine - l lysine
5-methylsulphonylmethane -
dimethyl sulphone
6-mg oxide
7-vit b6 - vit c - vit d3
8-zinc - zinc aspartate



Neo Digestin



active ingredients :

- 1-papin
- 2-pepsin
- 3-sanzym

category / use :
digestants

Totavit



active ingredients :

- 1-ferrous sulfate-
folic acid
- 2-pantothenate ca -
ca D panthothenate
- 3-vit (a / b1 / b12 /
b2 / b3 / b5 / b6 / b7
/ c / d3 / e)

category / use :
multi vitamins


hepaticum



active ingredients :

- 1-silymarin - milk
thistle - silybum
marianum

category / use :
for hepatic disorders



rhinopro syrup



active ingredients :
1-carbinoxamine
2-pseudoephedrine


category / use :
for influenza & common cold

oxymet nasal drops



active ingredients :
1-oxymetazoline

category / use :
decongestant



Dolphin 25 Supp



active ingredients :
1-diclofenac sodium

category / use : anti inflammatory

farcolin syrup



active ingredients :
1-ammonium chloride
2-salbutamol - albuterol

category / use :
cough sedative & expectorant
selective B2 agonist

orazone syrup



active ingredients :
1-dexamethasone

category / use :
long acting glucocorticoids

smecta



active ingredients :
1-dioctahedral
smectate -
diosmectite

category / use :
intestinal
adsorbents

zinol



active ingredients :
1-cefazolin


category / use :
1 generation
cephalosporins

solu cortef



active ingredients :
1-hydrocortisone

category / use :
short acting glucocorticoids



unictam 375 mg tab



active ingredients :
1-ampicillin
2-sulbactam

category / use :
anti biotic

Montazah Medical Center
Montazah Clinic

مركز المنتزه الطبي
المنتزه كلينيك

اسم المريض: خالد محمد
التاريخ: 4/12
العيادة: حارة عام
الطبيب: حارة عام

R /

Flumox

٨ حبات يومياً

Brufen

صكر

Dr's Signature : _____

الاستشارة خلال اسبوع

يوم / / الساعة / م / ص

عمارة ٨١ - مدينة بنك فيصل - شارع ملك حفني - الاسكندرية - موبایل: ٠١١١٧٤٣٤٩١٠ - ٥٣٦٥٧٤٠
Bild 81 Bank Faisal City - Malak Helni St., - Alexandria - Mob.: 01117434910
Tel : 5365740 E-mail: MontazahClinic@hotmail.com

flumox



active ingredients :
1-amoxicillin
2-flucloxacillin


category / use :
antibiotic

brufen



active ingredients :
ibuprofen

category / use :
anti inflammatory



jusprin



active ingredients :
1-acetyl salicylic acid - aspirin

category / use :
anti platelet aggregation
anti pyretic

intrafer



active ingredients :
1-folic acid
2-iron


category / use :
iron & folic acid combination

Ostoval tab



active ingredients :
1-boron
2-calcium
3-vit (b6 / c / d3 / k1)

category / use :
calcium & vitamins & minerals



vitaferrol tabs




active ingredients :

- 1-ferrous fumarate - iron - zinc manganese
- 2-vit b12 - vit c - folic acid

category / use :
combination
iron & folic acid

neurobion



active ingredients :

- 1- vit b 1 - vit b 12 - vit b6

category / use :
vitamin b


flagyl



active ingredients :

- metronidazole

category / use :
antibacterial - antiamebic agent




Livial tab



active ingredients :
1-tibolone

category / use :
infertility & sterility agent



Mariagon cap



active ingredients :
1-silymarin - milkthistle -
silybum marianum

category / use :
hepatic disorders

Methotrexate amp



active ingredients :
methotrexate


category / use :
anti metabolite
may used for Treatment certain types
of cancer. also to control severe
psoriasis , severe rheumatoid arthritis

Betaderm



active ingredients :
betamethasone

category / use :
corticostroid



Isotofenicol



active ingredients :
1-chloramphenicol

category / use :
antibiotic

nono water



active ingredients :
1-caraway - carum carv - persian cumin
2-dill oil - terpenless dill seed oil
3-sodium bicarbonate


category / use :
antispasmodic & antifatulents
for pediatric

baby rest drops



active ingredients :
1-simethicone - activated dimethicone
- methylpolysiloxane

category / use :
antispasmodic & antifatulents
for pediatric



adwiflam amp



active ingredients :
1-diclofenac potassium

category / use :
anti inflammatory

ost-map



active ingredients :
1-acemetacin

category / use :
anti inflammatory

reparil



active ingredients :
1-horse chestnut - aescin -
esculin - esculoside

category / use :
anti thrombic &
anti edema

napizole



active ingredients :
1-omeprazole

category / use :
proton pump inhibitors

Rx mucosol —
علاج السعال

Rx solupred
للربو

mucosol



active ingredients :
1-carbocysteine


category / use :
mucolytic

solupred



active ingredients :
1-prednisolone

category / use :
**intermediate acting
glucocorticoids**




Cleocin cream



active ingredients :

- 1-aloe vera - aloae barbadensis
- 2-calendula officinalis - pot marigold
- 3-centella
- 4-cetyl alc
- 5-chlorhexidine
- 6-horse chestnut - aescin - esculin - esculoside
- 7-propolis
- 8-propyl paraben
- 9-sorbitol
- 10-stearic acid
- 11-tea tree oil - melaleuca alternifolia
- 12-vaseline - paraffin - petroleum jelly

category / use :
for burns



arcalion forte



active ingrediants :
1-salbutiamine


category / use :
mental &
memory tonics

marcofen 400



active ingrediants :
1-ibuprofen

category / use :
anti inflammatory



Anti cox 15



active ingredients :
1-meloxicam

category / use :
cox 2 inhibitor
(anti inflammatory)


Escita 10



active ingredients :
1-escitalopram

category / use :
anti depressants

Amipride 50



active ingredients :
1-amisulpride


category / use :
antipsychotics
(atypical neuroleptics)

zolam .5



active ingredients :
1-alprazolam

category / use :
anxiolytic - sedative - hypnotic



indocid supp



active ingredients :
1-indomethacin

category / use :
anti inflammatory

ostoval



active ingredients :
1-boron
2-calcium
3-vit (b6 / c / d3 / k1)

category / use :
calcium - vitamins - minerals

ketolac tab



active ingredients :
1-ketorolac
tromethamine

category / use :
anti inflammatory

sulide gel



active ingredients :
1-nimesulide

category / use :
analgesic & anti inflammatory

neuroton



active ingredients :
1-folic acid
2-vit (b1 / b12 / b2 / b6)

category / use :
vitamin b


Cyteal vag douche



active ingredients :

1-chlorcresol
2-chlorhexidine
3-hexamidine

category / use :
anti septic



arcalion 200



active ingredients :
1-salbutamine


category / use :
mental &
memory tonics

E-Mox



active ingredients :
1-amoxicillin

category / use :
antibiotic
(penicillin group)



Mosapride 5 mg tab



active ingredients :
1-mosapride citrate

category / use :
gastroprokinetics

digestin tab



active ingredients :
1-papain
2-sanzym

category / use :
digestants

colon aid tab



active ingredients :
1-aloe vera - aloe barbadensis
2-bentonite / citpectin / rhubarb / wheat grass
3- psyllium - psyllium (ispaghula) husk


category / use :
for colon spasm

thiotacid 600 tab



active ingredients :
1-thioctic acid - alpha lipoic acid

category / use :
neurotonic



clindam 300



active ingredients :
1-clindamycin


category / use :
antibiotic
(lincosamide group)

DG-Care



active ingredients :
1-calcium carbonate
2-chlorhexidine
3-propolis
4-sod.bicarbonate

category / use :
tooth paste



Amocerebral plus tab



active ingredients :

- 1-cinnarizine
- 2-dimenhydrinate

category / use :
circulatory disturbance agent


Amrase tab



active ingredients :

- 1-ox bile
- 2-pancreatine
- 3-papin

category / use :
digestant



multirelax 5mg



active ingredients :
1-cyclobenzaprine

category / use :
skeletal muscle relaxant

depram 40 mg



active ingredients :
1-citalopram

category / use :
anti depressants

feldene capsule



active ingredients :
1-piroxicam

category / use :
anti inflammatory

Ponstan 500



active ingredients :
1-mefenamic acid

category / use :
anti pyretic

thanks

